



Honeycomb Blinds

Specialist in blinds

Product Features

Imitating the design of a honeycomb, it has the functions of heat preservation, UV protection, and sound insulation. A variety of categories including horizontal blinds, day and night double blinds, and skylight options are available. It is a great choice for creating a comfortable and private space.

Product Categories



Normal



Top Down Bottom Up



Day and Night



Skylight

Control Systems



Continuous Loop



Cordless



Motorized



Cord Locked

Fabric Shading Effect



26mm/45mm Sheer



26mm Light Filtering



26mm Black Out



38mm Dual Cell
Light Filtering



38mm Dual Cell
Black Out



45mm Black Out

Available Rail Colors



Size:26mm



26mm No Drill Blinds



Size:38mm



Size:45mm



26mm Light Filtering



93020A




93020B




93020C



93020D



93020E



93020F



93020G



93020H



93020J



93020K

26mm Blackout



93021A




93021B




93021C




93021D



93021J



93021E



93021F



93021G



93021H



93021I

38mm Light Filtering & Blackout



 93022A




 93022B




 93022C



 93022D




 93022E



 93023A




 93023B



 93023C



 93023D



 93023E


45mm Light Filtering & Blackout



 93025A



 93025B



 93025C



 93025D



 93025E




 93024A




 93024B



 93024C






 93024D



 93024E


Parameters of Rail



Measurement and Installation




Inside Mount




Measurement requirements :
The depth(D)of the window hole should be more than 6cm.
Width: Measue W1,W2,W3, select the shortest one as the Width

Width of Blind=Width-1cm
Height of Blind=Height




Outside Mount



Window frames protruding the wall by more than 1cm will not be suitable for the outside mounting

Width of Blind=Width+10cm
Height of Blind=Height+ 15cm



Remark:

1. If for Continuous loop of TDBU or Day & Night ,if width more than 2 meter,the drop need to more than half of Width

